

elektraBar Vibe

Product Details

elektraLite

OVERVIEW

Product Name
elektraBar Vibe

Model Numbers
VIBE

Product Family
elektraBar

Product Type(s)
LED, Wash, Effects

Applications
HOW, Live Events, Entertainment,
Theater, Education



Description

The elektraBar Vibe is an eye-catching fixture meant to excite your audience. Whether you want to control the pixels yourself, or run one of its pre-built shows, the Vibe will be as much a part of the show as the performers on stage.

SOURCE

Light Source
LED

Number of Cells
896 LEDs

Light Engine
(896) 0.3w LED emitters (375w total)

COLOR

Color Variations
RGBW

Color Mixing
Yes

CRI or TM-30
95 CRI

Color Temperature
W = 4,400k



elektraLite
70 Sea Lane, Farmingdale, NY 11735
elektralitesupport@g1limited.com
631-396-0184

myelektralite.com

Product Details

OPTICAL

Zoom Range

N/A

Lens Options

Frosted lens

Effects

Strobe, 45 Built-in Shows (w/ Speed and Fade Adjustments), and Dimming Speeds

ELECTRICAL

Total Power Consumption

375 watts (3.0A)

Voltage Range

AC 100-240V – 50/60Hz

Input Method

PowerCon for both in and through

CONTROL

DMX Profile & Manual Control

- Individual cell control per 2 rows of 7 (14 LEDs total)
- Controllable in 13-channel, 256-channel, or 258-channel modes
- Can be linked together via side-panel locking plates

Please [email us](#) to request DMX Profiles and Photometrics

Input Method

DMX 5-pin and ArtNet (CAT 5)

RDM

Yes, ArtNet

Local Control

Yes

Display

LCD with text display

UI Type

4-button navigation control

Dimming

16 bit, DMX controlled

SPECIFICATIONS

Refresh Rate

>800Hz

	<i>Degrees</i>
Beam spread	120°
Beam angle	108°
Field angle	120°



elektraLite

70 Sea Lane, Farmingdale, NY 11735

elektralitesupport@g1limited.com

631-396-0184

myelektralite.com

Product Details

PHYSICAL

Housing

Gloss gray aluminum

Materials

Corrosion-resistant hardware

Yoke

Rigid flat steel

Dimensions

	<i>Length</i>	<i>Width</i>	<i>Height</i>	<i>Weight</i>
Body Only	39"	6"	5"	11.5 lbs / 5.2 Kgs
Body + Yoke	39"	6"	8"	12 lbs / 5.44 Kgs

OUTPUT

(All Lux figures are max output all colors)

RGBW

1,800 Lux

REGULATORY

IP Rating

IP20 (Indoor)

OPTIONS

Accessories

- (2) 120° swivel trunnion / mounting foot / wall bracket
- (1) 12" power in cable
- (2) Locking plates for precise alignment of multiple bars

Fixture Color

Black (Other colors available by request)



elektraLite

70 Sea Lane, Farmingdale, NY 11735

elektralitesupport@g1limited.com

631-396-0184

myelektralite.com